ELSEVIER

Brain Research 838 (1999) 241–242

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Aitken, P., see Balestrino, M. (838) 37
Aston-Jones, G., see Chen, S. (838) 171

Balestrino, M., Young, J. and Aitken, P.
Block of (Na^+,K^+)ATPase with ouabain induces spreading depression-like depolarization in hippocampal slices (838) 37
Blesius, F., see Wennstrom, K.L. (838) 104
Boon, F., see Robertson, B.J. (838) 234
Bowlby, D.A., see Edwards, H.E. (838) 136
Brenneman, D.E., Hauser, J., Spong, C.Y., Phillips, T.M., Pert, C.B. and Ruff, M.
VIP and D-ala-peptide T-amide release chemokines which prevent HIV-1 GP120-induced neuronal death (838) 27
Bronzino, J.D., see Mokler, D.J. (838) 95
Burnham, W.M.I., see Edwards, H.E. (838) 136
Burnham, W.M.I., see Edwards, H.E. (838) 151

Cain, D.P., see Robertson, B.J. (838) 234
Chan, P.K.Y. and Yung, W.-H.
Inhibitory postsynaptic currents of rat substantia nigra pars reticulata neurons: role of GABA receptors and GABA uptake (838) 18
Chen, S., Yang, M., Miselis, R.R. and Aston-Jones, G.
Characterization of transsynaptic tracing with central application of pseudorabies virus (838) 171
Cheng, C., see Zochodne, D.W. (838) 11
Chopp, M., see Li, Y. (838) 1
Crews, D., see Wennstrom, K.L. (838) 104

Da Silva, C.G., Parolo, E., Streck, E.L., Wajner, M., Wannmacher, C.M.D. and De Souza Wyse, A.T.
In vitro inhibition of Na^+,K^+-ATPase activity from rat cerebral cortex by guanidino compounds accumulating in hyperargininemia (838) 78
De Souza Wyse, A.T., see Da Silva, C.G. (838) 78

Edwards, H.E., Burnham, W.M.I. and MacLusky, N.J.
Testosterone and its metabolites affect afterdischarge thresholds and the development of amygdala kindled seizures (838) 151
Edwards, H.E., Burnham, W.M.I., Mendonca, A., Bowlby, D.A. and MacLusky, N.J.
Steroid hormones affect limbic afterdischarge thresholds and kindling rates in adult female rats (838) 136

Frankel, P.S., Garcia, M.M. and Harlan, R.E.
Infusion of β-FNA into the thalamus attenuates morphine-induced c-Fos induction in the rat caudate putamen (838) 222
Fujiwara, K., see Hosokawa, H. (838) 158

Gadea, A., López, E. and López-Colomé, A.M.
The adenylate cyclase inhibitor MDL-12330A has a non-specific effect on glycine transport in Müller cells from the retina (838) 200
Galler, J.R., see Mokler, D.J. (838) 95
Garcia, M.M., see Frankel, P.S. (838) 222
Geisert Jr., E.E., see Vázquez-Chona, F. (838) 45
Giolli, R.A., see Zhou, J. (838) 119
Gouardères, C., Tafani, J.A.M., Meunier, J.-C., Jhamandas, K. and Zajac, J.-M.
Nociceptin receptors in the rat spinal cord during morphine tolerance (838) 85
Grundke-Iqbal, I., see Haque, N. (838) 69

Hamada, T., Niki, T., Ziging, P., Sugiyama, T., Watanabe, S., Mikoshiba, K. and Ishida, N.
Differential expression patterns of inositol trisphosphate receptor types 1 and 3 in the rat suprachiasmatic nucleus (838) 131
Haque, N., Tanaka, T., Iqbal, K. and Grundke-Iqbal, I.
Regulation of expression, phosphorylation and biological activity of tau during differentiation in SY5Y cells (838) 69
Harlan, R.E., see Frankel, P.S. (838) 222
Hattori, N., see Kawasaki, E. (838) 166
Hauser, J., see Brenneman, D.E. (838) 27
Heimann, A., Takeshima, T., Horstick, G. and Kempski, O.
C1-esterase inhibitor reduces infarct volume after cortical vein occlusion (838) 210
Homma, H., see Lee, J.-A. (838) 193
Horstick, G., see Heimann, A. (838) 210
Hosokawa, H., Ninomiya, H., Sawamura, T., Sugimoto, Y., Ichikawa, A., Fujiwara, K. and Masaki, T.
Neuron-specific expression of cationic amino acid transporter 3 in the adult rat brain (838) 158
Hu, S.-J., see Xing, J.-L. (838) 218

Ichikawa, A., see Hosokawa, H. (838) 158
Ichikawa, H., Itota, T., Torii, Y., Inoue, K. and Sugimoto, T.
Osteocalcin-immunoreactive primary sensory neurons in the rat spinal and trigeminal nervous systems (838) 205
Iida, M., Miyazaki, I., Tanaka, K.-i., Kabuto, H., Iwata-Ichikawa, E. and Ogawa, N.
Dopamine D2 receptor-mediated antioxidant and neuroprotective effects of ropinirole, a dopamine agonist (838) 51
Imai, K., see Lee, J.-A. (838) 193
Inagaki, C., see Kawasaki, E. (838) 166
Inoue, K., see Ichikawa, H. (838) 205
Iqbal, K., see Haque, N. (838) 69
Ishida, N., see Hamada, T. (838) 131
Itota, T., see Ichikawa, H. (838) 205
Iwata-Ichikawa, E., see Iida, M. (838) 51
Iwatsubo, T., see Lee, J.-A. (838) 193

Jhamandas, K., see Gouardères, C. (838) 85

Kabuto, H., see Iida, M. (838) 51
Kawasaki, E., Hattori, N., Miyamoto, E., Yamashita, T. and Inagaki, C.
Single-cell RT-PCR demonstrates expression of voltage-dependent chloride channels (ClC-1, ClC-2 and ClC-3) in outer hair cells of rat cochlea (838) 166
Kempski, O., see Heimann, A. (838) 210
Krieglstein, J., see Semkova, I. (838) 184
Kuang, Y.-J., see Liu, H.-W. (838) 227

Lee, J.-A., Homma, H., Tashiro, K., Iwatsubo, T. and Imai, K.
D-Aspartate localization in the rat pituitary gland and retina (838) 193
Li, Y. and Chopp, M.
Temporal profile of nestin expression after focal cerebral ischemia in adult rat (838) 1
Liu, H.-W., Kuang, Y.-J., Wu, J.-C., Ma, K.-H., Wang, S.-D. and Liu, J.-C.
Intrastriatal transplantation of Sertoli cells may improve amphetamine-induced rotation and tyrosine hydroxylase immunoreactivity of the striatum in hemiparkinsonian rats (838) 227
Liu, J.-C., see Liu, H.-W. (838) 227
López-Colomé, A.M., see Gadea, A. (838) 200
López, E., see Gadea, A. (838) 200

Ma, K.-H., see Liu, H.-W. (838) 227
MacLusky, N.J., see Edwards, H.E. (838) 136
MacLusky, N.J., see Edwards, H.E. (838) 151
Masaki, T., see Hosokawa, H. (838) 158
Mazarati, A.M., see Pereira de Vasconcelos, A. (838) 110
Mendonca, A., see Edwards, H.E. (838) 136
Meunier, J.-C., see Gouardères, C. (838) 85

Michaloudi, H.C., see Papadopoulos, G.C. (838) 214
Mikoshiba, K., see Hamada, T. (838) 131
Miselis, R.R., see Chen, S. (838) 171
Miyamoto, E., see Kawasaki, E. (838) 166
Miyazaki, I., see Iida, M. (838) 51
Mokler, D.J., Bronzino, J.D., Galler, J.R. and Morgane, P.J.
The effects of median raphé electrical stimulation on serotonin release in the dorsal hippocampal formation of prenatally protein malnourished rats (838) 95
Morgane, P.J., see Mokler, D.J. (838) 95

Nehlig, A., see Pereira de Vasconcelos, A. (838) 110
Niki, T., see Hamada, T. (838) 131
Ninomiya, H., see Hosokawa, H. (838) 158

Ogawa, N., see Iida, M. (838) 51

Pabst, H. and Redecker, P.
Interstitial glial cells of the gerbil pineal gland display immunoreactivity for the metabotropic glutamate receptors mGluR2/3 and mGluR5 (838) 60
Papadopoulos, G.C. and Michaloudi, H.C.
Apoptosis in the visual system of normal and dark-reared rats (838) 214
Parolo, E., see Da Silva, C.G. (838) 78
Pereira de Vasconcelos, A., Mazarati, A.M., Wasterlain, C.G. and Nehlig, A.
Self-sustaining status epilepticus after a brief electrical stimulation of the perforant path: a 2-deoxyglucose study (838) 110
Pert, C.B., see Brenneman, D.E. (838) 27
Phillips, T.M., see Brenneman, D.E. (838) 27

Redecker, P., see Pabst, H. (838) 60
Ribak, C.E., see Zhou, J. (838) 119
Robertson, B.J., Boon, F., Cain, D.P. and Vanderwolf, C.H.
Behavioral effects of anti-muscarinic, anti-serotonergic, and anti-NMDA treatments: hippocampal and neocortical slow wave electrophysiology predict the effects on grooming in the rat (838) 234
Ruff, M., see Brenneman, D.E. (838) 27

Sawamura, T., see Hosokawa, H. (838) 158
Semkova, I. and Krieglstein, J.
Ciliary neurotrophic factor enhances the expression of NGF and p75 low-affinity NGF receptor in astrocytes (838) 184
Spong, C.Y., see Brenneman, D.E. (838) 27
Streck, E.L., see Da Silva, C.G. (838) 78
Sugimoto, T., see Ichikawa, H. (838) 205
Sugimoto, Y., see Hosokawa, H. (838) 158
Sugiyama, T., see Hamada, T. (838) 131

Tafani, J.A.M., see Gouardères, C. (838) 85
Takeshima, T., see Heimann, A. (838) 210
Tanaka, K.-i., see Iida, M. (838) 51
Tanaka, T., see Haque, N. (838) 69
Tashiro, K., see Lee, J.-A. (838) 193
Torii, Y., see Ichikawa, H. (838) 205

Vanderwolf, C.H., see Robertson, B.J. (838) 234
Vázquez-Chona, F. and Geisert Jr., E.E.
N-cadherin at the glial scar in the rat (838) 45

Wajner, M., see Da Silva, C.G. (838) 78
Wang, S.-D., see Liu, H.-W. (838) 227
Wannmacher, C.M.D., see Da Silva, C.G. (838) 78
Wasterlain, C.G., see Pereira de Vasconcelos, A. (838) 110
Watanabe, S., see Hamada, T. (838) 131
Wennstrom, K.L., Blesius, F. and Crews, D.
Volumetric analysis of sexually dimorphic limbic nuclei in normal and sex-reversed whiptail lizards (838) 104
Wu, J.-C., see Liu, H.-W. (838) 227

Xing, J.-L. and Hu, S.-J.
Relationship between calcium-dependent potassium channel and ectopic spontaneous discharges of injured dorsal root ganglion neurons in the rat (838) 218

Yamashita, T., see Kawasaki, E. (838) 166
Yan, X.-X., see Zhou, J. (838) 119
Yang, M., see Chen, S. (838) 171
Young, J., see Balestrino, M. (838) 37
Yung, W.-H., see Chan, P.K.Y. (838) 18

Zajac, J.-M., see Gouardères, C. (838) 85
Zhou, J., Ribak, C.E., Yan, X.-X. and Giolli, R.A.
Synaptic and neurochemical features of calcitonin gene-related peptide containing neurons in the rat accessory optic nuclei (838) 119
Ziging, P., see Hamada, T. (838) 131
Zochodne, D.W. and Cheng, C.
Diabetic peripheral nerves are susceptible to multifocal ischemic damage from endothelin (838) 11